



 1.1 GHS Product identifier: UF343 - Conditioner Cherry Yellow 343 Other means of identification: Non-applicable 1.2 Recommended use of the chemical and restrictions on use: Relevant uses: Chemical cleaning products High foaming liquid mixtures for car washes. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: National Carwash Solutions 1997 American Blvd 54115 De Pere - United States Phone: 9203372175 - Fax: 9203379410 				
 Non-applicable 1.2 Recommended use of the chemical and restrictions on use: Relevant uses: Chemical cleaning products High foaming liquid mixtures for car washes. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: National Carwash Solutions 1997 American Blvd 54115 De Pere - United States 	1.1			
 1.2 Recommended use of the chemical and restrictions on use: Relevant uses: Chemical cleaning products High foaming liquid mixtures for car washes. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: National Carwash Solutions 1997 American Blvd 54115 De Pere - United States 		Other means of identification:		
 Relevant uses: Chemical cleaning products High foaming liquid mixtures for car washes. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: National Carwash Solutions 1997 American Blvd 54115 De Pere - United States 		Non-applicable		
 High foaming liquid mixtures for car washes. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: National Carwash Solutions 1997 American Blvd 54115 De Pere - United States 	1.2	Recommended use of the chemical and restrictions on use:		
 Uses advised against: All uses not specified in this section or in section 7.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: National Carwash Solutions 1997 American Blvd 54115 De Pere - United States		Relevant uses: Chemical cleaning products		
 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: National Carwash Solutions 1997 American Blvd 54115 De Pere - United States 		High foaming liquid mixtures for car washes.		
National Carwash Solutions 1997 American Blvd 54115 De Pere - United States	Uses advised against: All uses not specified in this section or in section 7.3			
1997 American Blvd 54115 De Pere - United States	1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:		party:	
54115 De Pere - United States		National Carwash Solutions		
Phone: 9203372175 - Fax: 9203379410				
http://cleaningsystemsinc.com				
1.4 Emergency phone number: 1-800-424-9300 or 1-703-527-3887	1.4	Emergency phone number: 1-800-424-9300 0r 1-703-527-3887		

Classification of the substance or mixture: 2.1 NFPA: Health Hazards: 3 Flammability Hazards: 2 Instability Hazards: 0 Special Hazards: Non-applicable 29 CFR 1910.1200: Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200. Eye Dam. 1: Serious eye damage, Category 1, H318 Flam. Liq. 4: Flammable liquids, Category 4, H227 Repr. 2: Reproductive toxicity, Category 2, H361 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1: Sensitisation, skin, Category 1, H317 2.2 Label elements: NFPA: 29 CFR 1910.1200: Danger Hazard statements: Eye Dam. 1: H318 - Causes serious eye damage. Flam. Liq. 4: H227 - Combustible liquid. Repr. 2: H361 - Suspected of damaging fertility or the unborn child. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Precautionary statements:





Version: 2 (Replaced 1) Date of compilation: 6/3/2019 Revised: 5/25/2021 SECTION 2: HAZARD(S) IDENTIFICATION (continued) P201: Obtain special instructions before use. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280: Wear protective gloves/protective clothing/eye protection/protective footwear. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313: IF exposed or concerned: Get medical advice/attention. P370+P378: In case of fire: Use ABC powder extinguisher to put it out. P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively. Substances that contribute to the classification tetrasodium ethylene diamine tetraacetate; C.I.Acid Yellow 36; Sodium 4(or 5)-methyl-1H-benzotriazolide Acute Toxicity Estimate (ATE mix): 5.75 % (oral), 30.63 % (inhalation) of the mixture consists of ingredient(s) of unknown toxicity Additional labeling: Keep out of the reach of children 2.3 Hazards not otherwise classified (HNOC): Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Non-applicable

3.2 Mixtures:

Chemical description: Aqueous mixture composed of chemical products for cleaning products

Components:

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

	Identification	Chemical name/Classification	Concentration	
CAS:	Proprietary	Alkylbenzyl Sodium Sulfonate Acute Tox. 4: H302; Eve Irrit. 2A: H319; Skin Irrit. 2: H315; STOT SE 3: H335 - Warning	15 - <35 %	
CAS:	AS: 111-76-2 2-butoxyethanol Acute Tox. 4: H302+H332; Eye Irrit. 2A: H319; Flam. Liq. 4: H227; Skin Irrit. 2: H315 - Warning			
CAS:	Acute 10x, 4: H302+H332, Eye Init, 2A, H319, Flain, Eig, 4: H227, Skin lint, 2. H315 - Warning •			
CAS:	AS: 587-98-4 C.I.Acid Yellow 36 Repr. 2: H361; Skin Sens. 1: H317 - Warning			
CAS:	64665-57-2	Sodium 4(or 5)-methyl-1H-benzotriazolide Acute Tox. 4: H302; Eye Dam. 1: H318; Repr. 2: H361; Skin Corr. 1B: H314 - Danger	<5 %	
To ob	tain more informat	ion on the hazards of the substances consult sections 11, 12 and 16.	<u> </u>	

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.





Date of compilation: 6/3/2019

Revised: 5/25/2021

Version: 2 (Replaced 1)

SECTION 4: FIRST-AID MEASURES (continued)

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Combustible liquid. If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO_2).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:





Date of compilation: 6/3/2019

Revised: 5/25/2021 Version: 2

Version: 2 (Replaced 1)

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current standards 29 CFR 1910 Occupational Safety and Health Standards. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in fixed places that comply with the necessary security conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to containers of small amounts. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A Technical measures for storage	
----------------------------------	--

Minimum Temp.:24.8 °FMaximum Temp.:120 °F

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000):

Identification	Occupational exposure limits		
2-butoxyethanol	8-hour TWA PEL	50 ppm	240 mg/m ³
CAS: 111-76-2	Ceiling Values - TWA PEL		
sodium hydroxide	8-hour TWA PEL		2 mg/m ³
CAS: 1310-73-2	Ceiling Values - TWA PEL		

US. ACGIH Threshold Limit Values (2022):

Identification	Occupa	ational exposure lin	nits
2-butoxyethanol	TLV-TWA	20 ppm	
CAS: 111-76-2	TLV-STEL		





Date of compilation: 6/3/2019

Revised: 5/25/2021

Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:

Identification	Occupa	ational exposure li	mits
2-butoxyethanol	PEL	20 ppm	97 mg/m ³
CAS: 111-76-2	STEL		
sodium hydroxide	PEL		2 mg/m ³
CAS: 1310-73-2	STEL		2 mg/m ³

Biological limit values:

Biological Exposure Indices (BEIs®) - ACGIH

Identification	BEIs®	Determinant	Sampling Time
2-butoxyethanol CAS: 111-76-2	200 mg/g (NULL)	Butoxyacetic acid (BAA) in urine	End of shift

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional /industrial users, we recommend using chemical protection gloves. Use gloves in accordance with manufacturer's use limitations and OSHA standard 1910.138 (29CFR)

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

	Pictogram	PPE	Remarks	
	Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR)	
. T	Redily protection			

E.- Bodily protection

	Pictogram	PPE	Remarks
		Work clothing	Replace before any evidence of deterioration.
		Anti-slip work shoes	Replace before any evidence of deterioration.
Additional emergency measures			



Safety data sheet according to 29 CFR 1910.1200

UF343 - Conditioner Cherry Yellow 343



Standards

Date of compilation: 6/3/2019

Emergency measure

Revised: 5/25/2021

Standards

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Version: 2 (Replaced 1)

Emergency measure

	Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3	864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011	
	Environmental exposure contr	rols:				
In accordance with the community legislation for the protection of the e spillage of both the product and its container. For additional information 40 CFR Part 59 (VOC):						
	V.O.C.(weight-percent):	11.3 % weigh	nt			
	V.O.C. at 68 °F:	284.93 kg/m³	(284.93 g/L)			
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES						
.1	Information on basic physical	and chemical properties	:			
	For complete information see	the product datasheet.				
	Appearance:					
	Physical state at 68 °F:		Liquid			
	Appearance:		Translucer	nt		
	Color:		Yellow			
	Odor:		Fruity			
	Odour threshold:		Non-applic	able *		
	Volatility:					
	Boiling point at atmospheric p	ressure:	225 °F			
	Vapour pressure at 68 °F:		2284 Pa			
	Vapour pressure at 122 °F:		12037.14 I	Pa (12.04 kPa)		
	Evaporation rate at 68 °F:		Non-applic	able *		
	Product description:					
	Density at 68 °F:		1044.9 kg/	m³		
	Relative density at 68 °F:		1.045			
	Dynamic viscosity at 68 °F:		Non-applic	able *		
	Kinematic viscosity at 68 °F:		Non-applic	able *		
	Kinematic viscosity at 104 °F:		Non-applic	able *		
	Concentration:		Non-applic	able *		
	pH:		8 - 10 (at 1	00 %)		
	Vapour density at 68 °F:		Non-applic	able *		
	Partition coefficient n-octanol/	water 68 °F:	Non-applic	able *		
	Solubility in water at 68 °F:		Non-applic	able *		
	Solubility properties:		Non-applic	able *		
	Decomposition temperature:		Non-applic	able *		
	Melting point/freezing point:		Non-applic	able *		
	Flammability:					
	Flash Point:		157 ºF			
	Flammability (solid, gas):		Non-applic	able *		
	Autoignition temperature:		460 °F			

*Not relevant due to the nature of the product, not providing information property of its hazards.





Date of	Date of compilation: 6/3/2019 Revised: 5/25/2021 Version: 2 (Replaced 1)		
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)			
	Lower flammability limit:	Non-applicable *	
	Upper flammability limit:	Non-applicable *	
	Particle characteristics:		
	Median equivalent diameter:	Non-applicable	
9.2	Other information:		
	Information with regard to physical hazard classes:		
	Explosive properties:	Non-applicable *	
	Oxidising properties:	Non-applicable *	
	Corrosive to metals:	Non-applicable *	
	Heat of combustion:	Non-applicable *	
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *	
	Other safety characteristics:		
	Surface tension at 68 °F:	Non-applicable *	
	Refraction index:	Non-applicable *	
	*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. With possibility of effects that are hazardous to the health, it is recommended not to breathe the vapours for long periods of time.

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:





Date of compilation: 6/3/2019

Version: 2 (Replaced 1)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Revised: 5/25/2021

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: 2-butoxyethanol (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Suspected of damaging fertility or the unborn child
- E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
 - it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	cute toxicity	Genus
2-butoxyethanol	LD50 oral	1200 mg/kg	Rat
CAS: 111-76-2	LD50 dermal	3000 mg/kg	Rabbit
	LC50 inhalation	11 mg/L (ATEi)	
Alkylbenzyl Sodium Sulfonate	LD50 oral	500 mg/kg (ATEi)	
CAS: Proprietary	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
tetrasodium ethylene diamine tetraacetate	LD50 oral	1700 mg/kg	Rat
CAS: 64-02-8	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	





Date of compilation: 6/3/2019 Revised: 5/25/2021 Version: 2 (Replaced 1)

SECTION 11	TOXICOLOGICAL INFORMATION (continued)	

Identification			Acute toxicity		
C.I.Acid Yellow 36		LD50 oral	5100 mg/kg	Rat	
CAS: 587-98-4		LD50 dermal	Non-applicable		
		LC50 inhalat	on Non-applicable		
Acute Toxicity Estin	nate (ATE mix):				
	ATE mix		Ingredient(s) of unkr	own toxicity	
Oral	2054.79 mg/kg (Calculation method)		5.75 %		

Non-applicable

30.63 %

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

>5000 mg/kg (Calculation method)

67.53 mg/L (4 h) (Calculation method)

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Acute toxicity:

Dermal

Inhalation

Identification		Concentration	Species	Genus	
2-butoxyethanol	LC50	1490 mg/L (96 h)	Lepomis macrochirus	Fish	
CAS: 111-76-2	EC50	1815 mg/L (48 h)	Daphnia magna	Crustacean	
	EC50	911 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae	
tetrasodium ethylene diamine tetraacetate	LC50	121 mg/L (96 h)	Lepomis macrochirus	Fish	
CAS: 64-02-8	EC50	140 mg/L (48 h)	Daphnia magna	Crustacean	
	EC50	Non-applicable			
C.I.Acid Yellow 36	LC50	Non-applicable			
CAS: 587-98-4	EC50	6.5 mg/L (48 h)	Daphnia magna	Crustacean	
	EC50	7.927 mg/L (72 h)	Chlorella vulgaris	Algae	

Identification		Concentration	Species	Genus
2-butoxyethanol	NOEC	100 mg/L	Danio rerio	Fish
CAS: 111-76-2	NOEC	100 mg/L	Daphnia magna	Crustacean
tetrasodium ethylene diamine tetraacetate	NOEC	25.7 mg/L	Danio rerio	Fish
CAS: 64-02-8	NOEC	25 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:



3 0

UF343 - Conditioner Cherry Yellow 343

Date of compilation: 6/3/2019

Revised: 5/25/2021

Version: 2 (Replaced 1)

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Degradability		Biodegradability	
2-butoxyethanol	BOD)5	0.71 g O2/g	Concentration	100 mg/L
CAS: 111-76-2	COD)	2.2 g O2/g	Period	14 days
	BOD	05/COD	0.32	% Biodegradable	96 %
C.I.Acid Yellow 36	BOD)5	Non-applicable	Concentration	50 mg/L
CAS: 587-98-4	COD)	Non-applicable	Period	28 days
	BOD	05/COD	Non-applicable	% Biodegradable	30 %

12.3 Bioaccumulative potential:

Identification		Bioaccumulation potential		
2-butoxyethanol	В	BCF	3	
CAS: 111-76-2	P	Pow Log	0.83	
	P	Potential	Low	
tetrasodium ethylene diamine tetraacetate	В	BCF	2	
CAS: 64-02-8	P	Pow Log	-13	
	P	Potential	Low	
C.I.Acid Yellow 36	В	BCF	9	
CAS: 587-98-4	P	Pow Log	0.14	
	P	Potential	Low	

12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		Volatility	
2-butoxyethanol	Koc	8	Henry	1.621E-1 Pa·m³/mol	
CAS: 111-76-2	Conclusion	Very High	Dry soil	No	
	Surface tension	2.729E-2 N/m (77 °F)	Moist soil	Yes	
tetrasodium ethylene diamine tetraacetate	Koc	1046	Henry	0E+0 Pa⋅m³/mol	
CAS: 64-02-8	Conclusion	Low	Dry soil	No	
	Surface tension	Non-applicable	Moist soil	No	
C.I.Acid Yellow 36	Koc	48977	Henry	Non-applicable	
CAS: 587-98-4	Conclusion	Immobile	Dry soil	Non-applicable	
	Surface tension	Non-applicable	Moist soil	Non-applicable	

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See epigraph 6.2.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Part 261- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to 49 CFR on the Transport of Dangerous Goods:





ate of compilation:	6/3/2019	Revised: 5/25/20	121 Vers	ion: 2 (Replaced 1)
SECTION 14:	TRANSPOR	T INFORMATIC	N (continued)
	14.1	UN number:		NA1993
	14.2	UN proper shippi	ng name:	Combustible liquid, n.o.s.
	14.3	Transport hazard	class(es):	3
3		Labels:		3
V	14.4	Packing group, if	applicable:	III
	14.5	Marine pollutant:		No
	14.6			r needs to be aware of, or needs to comply with, in connection with ithin or outside their premises
		Physico-Chemica	I properties:	see section 9
		Limited quantities	:	5 L
		49 CFR 173.150:	It can be shipp	ed as a non-hazardous material if the container is under 120 gallons
	14.7	Transport in bulk Annex II of MARF the IBC Code):		Non-applicable
Transpor	t of dangerous			
	ard to IMDG 40			
14.1			Non-applicab	
14.2	UN proper sh	ipping name:	Non-applicab	
14.3	Transport haz Labels:	zard class(es):	Non-applicab Non-applicab	
14.4	Packing group	p, if applicable:	Non-applicab	le
14.5	Marine polluta	ant:	No	
14.6		utions which a use onveyance either v		ware of, or needs to comply with, in connection with their premises
	Special regula	ations:	Non-applicab	le
	EmS Codes:			
	Physico-Cher	nical properties:	see section 9	
	Limited quant	ities:	Non-applicab	le
	Segregation g	group:	Non-applicab	le
14.7	-	oulk (according to ARPOL 73/78 and)):	Non-applicab	le
Transpor	t of dangerous	,		
-	ard to IATA/ICA			
14.1			Non-applicab	
14.1	UN proper sh	inning name:	Non-applicab	
14.2		zard class(es):	Non-applicab	
14.3	Labels:		Non-applicab	
14.4	Packing group	p, if applicable:	Non-applicab	le
14.5	Marine polluta		No	
14.6		utions which a use onveyance either v		ware of, or needs to comply with, in connection with their premises
	Physico-Cher	nical properties:	see section 9	
14.7	-	oulk (according to ARPOL 73/78 and	Non-applicab	le

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:





te of compilation: 6/3/2019	Revised: 5/25/2021	Version: 2 (Replaced 1)
SECTION 15: REGULAT	ORY INFORMATION (continued)
California Proposition 6 The Toxic Substances tetraacetate ; C.I.Acid V Massachusetts RTK - S New Jersey Worker an New York RTK - Subst Pennsylvania Worker a CANADA-Domestic Su tetraacetate ; C.I.Acid V CANADA-Non-Domest NTP (National Toxicolo Minnesota - Hazardous Rhode Island - Hazardous Rhode Island - Hazardous Rhode Island - Hazardous OSHA Specifically Reg Hazardous Air Pollutan CALIFORNIA LABOR 0 California Proposition 6 Non-applicable	S5 (the Safe Drinking Water Control Act (TSCA) : Alkylk Yellow 36 ; Sodium 4(or 5)- Substance List: 2-butoxyeth d Community Right-to-Kno ance list: 2-butoxyethanol and Community Right-to-Kno bstances List (DSL): Alkylk Yellow 36 ; Sodium 4(or 5)- ic Substances List (NDSL): Alkylk Yellow 36 ; Sodium 4(or 5)- S	nanol w Act: 2-butoxyethanol benzyl Sodium Sulfonate ; 2-butoxyethanol ; tetrasodium ethylene diamine -methyl-1H-benzotriazolide : Non-applicable ble poxyethanol toxyethanol R 1910.1001-1096): Non-applicable
Specific provisions in te	erms of protecting people o	r the environment:
		d in this safety data sheet as data used in a risk evaluation of the local risk prevention measures for the manipulation, use, storage and disposal of this
Other legislation:		
j		

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 2:

- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H361: Suspected of damaging fertility or the unborn child.
- H317: May cause an allergic skin reaction.
- H227: Combustible liquid.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

29 CFR 1910.1200:

Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2A: H319 - Causes serious eye irritation.

Flam. Liq. 4: H227 - Combustible liquid.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

STOT SE 3: H335 - May cause respiratory irritation.

Advice related to training:





Date of compilation: 6/3/2019 Revised: 5/25/2021 Version: 2 (Replaced 1)

SECTION 16: OTHER INFORMATION (continued)

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: Occupational Safety & Health Administration (OSHA). Abbreviations and acronyms: IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer Date of compilation: 6/3/2019 Revised: 5/25/2021

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).