1.1	Prepared to GHS-USA Re Date Prepared: 5		<b>-</b>			
1.1	· · ·	8/1/14				
1.1	Identification of t		Page: 1 / 4			
1.1						
1.1		Identification of the substance/mixture and of the company/undertaking				
	Trade Name:	TC PLUS				
4.0	Product Type:	Alkaline Detergent				
1.2 1.3		Vehicle Wheel/Tire/Pre-Soak				
1.3	B Details of the supplier o	The safety data sheet				
	Company:	Woltco Inc.				
		700 Main Street				
		Coopersville, MI. 49040				
	Phone:	1-616-837-7373	CAR WASH PROFESSIONALS			
1.4						
	Contact Info:	CHEMTREC: 1-800-424-9300 (24	4 HOUR RESPONSE)			
2.1	Specific Target Organ, Sir Skin Corrosion: C Eye Corrosion: C	ngle Exposure: Respiratory Tract: Catego ategory 1 ategory 1	ry 3			
		ategory 2				
2.2						
	Symbol(s)	The Second secon				
	Signal Word:	DANGER				
	Hazard Statements:	H302+H300 - Harmful if swallowed (or	could be fatal).			
		H314 - Causes severe skin burns and	eye damage.			
		H335 - May cause respiratory irritation.				
	Precautionary Statements	<b>o</b>	•			
		P280 - Wear protective gloves and eye	e protection. diately call a POISON CENTER / doctor.			
		P302 - IF ON SKIN: Rinse area with w	-			
			ith water, remove contact lens if any. Continue flushing.			
		P337+P313: If eye irritation persists. G				
	HMIS-ratings (scale 0-4)	Definitions: 0-least, 1-slight, 2	2-Moderate, 3-High, 4-Extreme			

HEALTH3FIRE0REACTIVITY0ProtectionB

3

## **Composition/Information on Ingredients**

### 3.1 Substances

CAS Number:	<u>Component</u>	% by weight (optional)
7732-18-5	Water	>60
1310-58-3	Potassium Hydroxide	5 to 15
111-76-2	2-Butoxyethanol	<5
1312-76-1	Potassium Silicate	<5
64-02-8	Tetra Sodium EDTA	<5

Chemical characterization:

Mixture of the above ingredients to form a single uniform solution.

		Safety Data Sheet (S	DS) TC PLUS				
		Prepared to GHS-USA Requirer	nents				
			Page: 2 / 4				
L		First aid measures					
	4.1	Description of first aid measu	res				
		General Info: Remov	e any clothing soiled by this product and wash before re-using.				
			supply of fresh air and keep person(s) calm and comfortable for breathing.				
		-	autiously with water for several minutes. Remove contact lenses if any then continue flushing.				
			e all contaminated clothing immediately. Rinse area for several minutes with water. If available				
			5% vinegar solution to area (not around eyes) then continue rinsing area with water. nduce vomiting. If person is conscious give 1-2 glasses of water or milk and seek medical attention.				
	4.2	-	I effects, both acute and delayed				
		Information is not available.					
	4.3	Indication of any immediate m	edical attention and special treatment needed				
		Treat sympomatically.					
5		Fire-fighting measure	5				
	5.1	Extinguishing media Suitable for use:	form earbon diavida, dry nawdar, water anray				
		Not suitable for use:	foam, carbon dioxide, dry powder, water spray water jet is not recommended.				
	5.2	Special hazards arising from the substance or mixture					
		Product will react slowly with soft metals in neat form forming hazardous gases (eg. Zinc).					
	5.3	Advice for fire-fighters					
		This product will not burn. Treat area as for surrounding fire. Wear self-contained breathing apparatus pressure					
		ed or equivalent) and full protective gear. Slippery where spilled.					
		Accidental Release M					
			ive equipment and emergency procedures:				
	011		ent, keep unprotected persons away. Ensure adequate ventilation during clean up.				
	6.2	Environmental precautions:					
		Do not allow to enter drains or waterways.					
		Do not purposely discharge into the subsoil/soil.					
	6.3	Methods and material for containment and clean up: Take up with cheathant material (universal binder distanctions earth). For large spille dike area than easen or pump					
		Take up with absorbent material (universal binder, diotematious earth). For large spills dike area then scoop or pump product into plastic containers for disposal. Small amounts of this product can be rinsed with large amounts of water					
		into a sanitary sewer system. *Neutralizing cautiously with a dilute acid solution prior to clean up can reduce disposal hazards.					
		Handling & Storage					
	7.1	Precautions for safe handling	No special measures are percent, if stand and handled as prescribed				
	7.1	<b>Precautions for safe handling</b> Advice on safe handing:	No special measures are necessary if stored and handled as prescribed.				
	7.1	<b>Precautions for safe handling</b> Advice on safe handing: Handling:	Caps should be tight and outside of container free of residue before moving.				
	7.1	<b>Precautions for safe handling</b> Advice on safe handing:					
	7.1	<b>Precautions for safe handling</b> Advice on safe handing: Handling:	Caps should be tight and outside of container free of residue before moving. Do not eat or drink when using this product. Wash hands after using. Remove soiled				
	7.1	Precautions for safe handling Advice on safe handing: Handling: Hygiene measures: General measures: Conditions for safe storage, ir	Caps should be tight and outside of container free of residue before moving. Do not eat or drink when using this product. Wash hands after using. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin. Avoid contact with eyes and skin and do not inhale concentrated vapors. Including any incompatibilities				
		Precautions for safe handling Advice on safe handing: Handling: Hygiene measures: General measures: Conditions for safe storage, in Prevention of fire and explosio	Caps should be tight and outside of container free of residue before moving. Do not eat or drink when using this product. Wash hands after using. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin. Avoid contact with eyes and skin and do not inhale concentrated vapors. Acluding any incompatibilities				
		Precautions for safe handling Advice on safe handing: Handling: Hygiene measures: General measures: Conditions for safe storage, in Prevention of fire and explosion Information:	Caps should be tight and outside of container free of residue before moving. Do not eat or drink when using this product. Wash hands after using. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin. Avoid contact with eyes and skin and do not inhale concentrated vapors. Including any incompatibilities				
		Precautions for safe handling Advice on safe handing: Handling: Hygiene measures: General measures: Conditions for safe storage, in Prevention of fire and explosio	Caps should be tight and outside of container free of residue before moving. Do not eat or drink when using this product. Wash hands after using. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin. Avoid contact with eyes and skin and do not inhale concentrated vapors. Acluding any incompatibilities				

8

8.1

# Exposure Controls/Personal Protection Control parameters:

Components with limit values that require monitoring at the work place:					
Component	CAS-No.	Statutory basis/list	Value type	Value	
2-butoxyethanol	111-76-2	ACGIH	TLV	20 ppm, 8 hours (all forms)	
		OSHA PEL	TWA	240 mg/m3 8 hours (skin)	
				TWA: 50 ppm, 8 hours (Skin)	
Potassium Hydroxide	1310-58-3	OSHA PEL	TWA	2 mg/m3	

Safety	Data	Sheet	(SDS)
--------	------	-------	-------

Prepared to GHS-USA Requirements

#### TC PLUS

Page: 3 / 4

8.2	Exposure controls	(continued from page 2)
	Engineering controls	
	Appropriate controls:	Good general ventilation (local exhaust) should be sufficient to control airborne levels
	Personal protective equipment	
	Eye Protection:	Use chemical resistant goggles or safety glasses with side shields.
	Hand Protection:	Rubber gloves
	Body Protection:	None required, but chemical resistant apron is suggested to protect clothing.
	Respiratory Protection:	None required but if desired select a NIOSH approved respirator for mists.

#### 9 Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Product State:	Liquid	Auto Ingniting:	Product is not selfigniting
Color:	Yellow-Green	Vapor Density:	Not Determined
Odor:	Ether like	Vapor Pressure:	Not Determined
<u>рН:</u>	>13.5	Evaporation Rate:	Not Determined
Boiling Point:	>212°F	Viscosity:	Not Determined
Freeze Point:	<32°F	Decomposition Temp:	Not Determined
VOC's % by wgt:	<5	Partition Coefficient	Not Determined
Phosphorous %:	None	(n-octanol/water)	Not Determined
Specific Gravity:	1.10-1.15	Flash Point °F:	>200
Solubility:	Soluble		

10	Stability and Reactivity				
10.1	Reactivity:	Product is not reactive under normal conditions.			
10.2	Chemical Stability:	Stable under normal conditions.			
10.3	Possibility of hazardous reactions	Under proper storage and handling no reactions are possible.			
10.4	Conditions to avoid:	None known.			
10.5	Incompatible materials:	Strong oxidizers, Acids			
10.6	Hazardous decomposition products:	Carbon Dioxide, Carbon Monoxide			

#### 11 Toxicological Information

11.1	Information on toxicological effects Acute toxicity of known ingredients: 2-butoxyethanol						
	Oral: LD50 (rat): 47 Potassium Hydrox	0 0	Dermal: LD50 (rabbit): 220 mg/kg	Inhilation: LC50 (rat): 450 mg/L, 4 hours			
	Oral: LD50 (rat): 214 mg/kg Acute Effects of this mixture:						
	Skin:	Will cause severe burns and defatting of skin.					
	Eye:	Produces I	Produces rapid serious eye irritation and possible damage.				
	Ingestion:	Harmful to mucous membranes, mouth, throat and stomach.					
	Inhalation:	Concentrated mists cause respiratory discomfort, cough or dizziness.					
	Carcinogens:	None knov	vn				

\*No other toxicological data is available on this mixture.

#### 12 Ecological Information

6 No ecological information is available nor has been performed on these sections.

#### **General Notes:**

Do not allow large quantities of undiluted product enter the ground, waterways or waste water canals. High levels of surfactants and increased pH levels are harmful to aquatic life.

	Safety Data Sheet (SDS	) TC PLUS
	Prepared to GHS-USA Requirements	
		Page: 4 / 4
13	<b>Disposal Considerations</b>	
13.1	Waste treatment methods	
	Product:	Follow local regulations for proper disposal and reporting of spills.
	Contaminated packaging:	If empty contamined containers are recycled or disposed of, the receiver must be
		informed about possible hazards. Original labels must not be removed, lids closed and provide person collecting the container(s) with an SDS.
14	Transport Information	
	Not dangerous according to transp	ort regulations
14.1	UN number:	UN1814
14.2	UN proper shipping name:	Potassium Hydroxide Solution
14.3	Transport hazard class(es):	8
14.4	Packing group:	II
14.5	Environmental hazards:	Aquatic
14.6	Special precautions for user:	None known
15	Regulatory Information	
	• •	
	Proposition 65 (Chemicals kno None listed	wh to cause cancer)

Section 313 (specific toxic chemical listings)

2-butoxyethanol

Section 355 (extremely hazardous substances) None listed

**TSCA (Toxic Substances Control Act)** 

All ingredients are listed, registered or exempted.

#### 16 Other Information

#### DISCLAIMER:

Information presented herein has been compiled from sources considered to be accurate and reliable, but is not guaranteed to be so. Since conditions of use are beyond our control we make warrantees, expressed or implied. If anything is added to this product the information presented here may be altered and could make this SDS invalid. This SDS shall not establish a legally valid contractual relationship.

#### LEGEND:

ACGIH: American Conference of Governmental Industrial Hygienists / CAS: Chemical Abstracts Services

CHEMTREC: Chemical Transportation Emergency Center / DOT: Department of Transportation

EHS: Extremely Hazardous Substances / EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System / IARC: International Agency for Research on Cancer

LEL/UEL:Lower and Upper Explosive Limit / mg/m3:Milligrams per cubic meter / LD50:Lethal Dose 50%

NIOSH:National Institute of Occupational Health & Safety / NFPA:National Fire Protection Association

NTP:National Toxicology Program / OSHA:Occupational Safety & Health Administration

PEL:Permissable Exposure Limit / PPE:Personal Protective Equipment /

SARA:Super fund Amendments and Reauthorization Act / SDS:Safety Data Sheet / TLV:Threshold Limit Value

TWA:Time Weighted Average / TSCA:US Toxic Substrance Control Act