		Safety Data Sheet (SD	DS) TRIPLE FOAM POLISH				
		Prepared to GHS-USA Requireme	ents				
		Date Prepared: 8/1/14	Page: 1 / 4				
		•					
1			substance/mixture and of the company/undertaking				
	1.1	Product Identifier					
		Trade Name:	TRIPLE FOAM POLISH (all colors)				
		Product Type:	High foaming liquid cleaner-polish				
	1.2	Recommended Use:	Commercial car wash detergent				
1.3 Details of the supplier of the safety data sheet		Details of the supplier of the	e safety data sheet				
		Company:	Woltco Inc.				
		company.	700 Main Street				
		Phone:	1-616-837-7373 CAR WASH PROFESSIONALS				
	1.4	Emergency Information					
	1.4	Contact Info:	CHEMTREC: 1-800-424-9300 (24 HOUR RESPONSE)				
		Contact mio.					
2		Hazards Identification					
-	2.4						
2.1 Classification of the substance or mixture		Skin Irritation					
		Eye Irritation	Category 3 Category 2				
		•					
	2.2	Acute Toxicity, Oral Label Elements	Category 4				
	2.2						
		Symbol(s)					
		Signal Word:	WARNING				
		Hazard Statements:	H302+H332 - May be harmful if swallowed or inhaled.				
		Hazard Statements. H316 - Causes mild skin irritation.					
			H319 - Causes serious eye irritation.				
		Precautionary Statements:	P262 - Do not get in eyes, on skin or clothing.				
		riceautionary otatements.					
		P280 - Wear protective gloves and eye protection. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER / doctor.					
		P301+P310. IF SWALLOWED. Infinediately call a POISON CENTER / doctor. P302 - IF ON SKIN: Rinse area with water for several minutes.					
			P305 - IF IN EYES: Rinse cautiously with water, remove contact lens if any. Continue rinsing.				
			P337+P313: If eye irritation persists. Get medical attention or advice.				
		HMIS-ratings (scale 0-4)	Definitions: 0-least, 1-slight, 2-Moderate, 3-High, 4-Extreme				



3

3.1

Composition/Information on Ingredients Substances

CAS Number:	Component	% by weight (optional)
7732-18-5	Water	>65
Proprietary	Non Hazardous Additions	5 to 20
111-76-2	2-Butoxyethanol	1 to 5
Proprietary	Di-alkyl Quaternary	1 to 5

Chemical characterization:

Mixture of the above ingredients to form a single uniform solution.

Safety Data Sheet (SDS)

Prepared to GHS-USA Requirements

TRIPLE FOAM POLISH

Page: 2 / 4

4		First aid measures				
	4.1	Description of first aid measures				
		General Info: Remove any clothing soiled by this product and wash before re-using.				
		Inhalation: Ensure supply of fresh air.				
		Eye Contact: Rinse cautiously with water for a few minutes. Remove contact lenses if any then continue flushing.				
		Skin contact: Remove all contaminated clothing immediately. Rinse area for several minutes with water.				
		Ingestion: Do not induce vomiting. If person is conscious give 1-2 glasses of water or milk and seek medical attention.				
	4.2	Most important symptoms and effects, both acute and delayed				
		Information is not available.				
	4.3	Indication of any immediate medical attention and special treatment needed				
		Treat sympomatically.				
5 Fire-fighting measures						
5	5.1	Extinguishing media				
	J.1	Suitable for use: foam, carbon dioxide, dry powder, water spray				
		Not suitable for use: water jet is not recommended.				
	5.2	Special hazards arising from the substance or mixture				
	5.2	None known.				
	5.3	Advice for fire-fighters				
		This product will not burn. Treat area as for surrounding fire. Wear self-contained breathing apparatus pressure				
	demand, (MSHA/NIOSH approved or equivalent) and full protective gear. Slippery where spilled.					
6		Accidental Release Measures				
	6.1 Personal precautions, protective equipment and emergency procedures:					
		Use personal protective equipment, keep unprotected persons away. Ensure adequate ventilation during clean up. Environmental precautions: Do not allow to enter drains or waterways. Do not allow to enter drains or waterways.				
	6.2					
	<u> </u>	Do not purposely discharge into the subsoil/soil.				
	6.3	Methods and material for containment and clean up:				
		Take up with absorbent material (universal binder, diotematious earth). For large spills dike area then scoop or pump				
	product into plastic containers for disposal. Small amounts of this product can be rinsed with large amounts of wa into a sanitary sewer system.					
7		Handling & Storage				
	7.1	Precautions for safe handling				
		Advice on safe handing: No special measures are necessary if stored and handled as prescribed.				
		Handling: Caps should be tight and outside of container free of residue before moving.				
		Hygiene measures: Do not eat or drink when using this product. Wash hands after using. Remove soiled				
		or soaked clothing immediately. Avoid contact with eyes and skin.				
		General measures: Avoid contact with eyes and skin.				
	7.2	Conditions for safe storage, including any incompatibilities				
		Prevention of fire and explosion				
		Information: No special measures required.				
		Storage				
		Information: Store with lids tightly sealed. Keep at room temperature, out of direct sunlight. Best if used within 2 years of manufacturer date.				
		Destil used within 2 years of manuldululer date.				

8

8.1

Exposure Controls/Personal Protection

Control parameters:

Components with limit values that require monitoring at the work place:

Component	CAS-No.	Statutory basis/list	Value type	Value
2-butoxyethanol	111-76-2	ACGIH	TLV	20 ppm, 8 hours (all forms)
		OSHA PEL	TWA	240 mg/m3 8 hours (skin)
				TWA: 50 ppm, 8 hours (Skin)

Safety Data Sheet (SDS)

Prepared to GHS-USA Requirements

TRIPLE FOAM POLISH

Page: 3 / 4

Exposure controls			(continued from page 2)				
Engineering controls							
Appropriate controls:	-	Good general ventilation should be sufficient to control airborne levels.					
•		esistant goggles or safety glasses wit	th side shields.				
	Hand Protection: Rubber gloves						
		ested to protect clothing.	ng.				
Respiratory Protection:	None required						
Physical and Chemical Properties							
0.1 Information on basic physical and chemical properties							
Product State:	Liquid	Auto Ingniting:	Product is not selfigniting				
Color:	Dark Colors	Vapor Density:	Not Determined				
Odor:	Orange Type	Vapor Pressure:	Not Determined				
<u>pH:</u>	~8.0	Evaporation Rate:	Not Determined				
Boiling Point:	>212°F	Viscosity:	Not Determined				
	32°F	Decomposition Temp:	Not Determined				
VOC's % by wgt:	<5	Partition Coefficient (n-	Not Determined				
Phosphorous %:	None	octanol/water)	Not Dotominou				
Specific Gravity:	0.99-1.00	Flash Point °F:	>200				
Solubility:	Soluble						
Stability and Poact	+i\/i4\/						
-	livily	Braduct is not repotivo					
-							
-	eactions						
•	eactions						
Hazardous decomposition products:		Amines, Carbon Dioxide					
	- F						
Toxicological Infor	mation						
Information on toxicological effects							
Acute toxicity of known ingredients:							
2-butoxyethanol							
Oral: LD50 (rat): 470 mg/kg Dermal: LD50 (rabbit): 220 mg/kg Inhilation: LC50 (rat): 450 mg/L, 4 hours							
Acute Effects of this mixture:							
	product has no ingredients known to be carcinogenic.						
	Engineering controls: Appropriate controls: Personal protective equip Eye Protection: Hand Protection: Body Protection: Respiratory Protection: Respiratory Protection: Physical and Chem Information on basic physical Product State: Color: Odor: pH: Boiling Point: Freeze Point: VOC's % by wgt: Phosphorous %: Specific Gravity: Solubility: Stability and React Reactivity: Chemical Stability: Possibility of hazardous r Conditions to avoid: Incompatible materials: Hazardous decomposition Toxicological Information on toxicologi Acute toxicity of known in 2-butoxyethanol Oral: LD50 (rat): 470 mg/kg Acute Effects of this mixt Skin: Prolonge Eye: Produce Ingestion: May be f Inhalation: Concent	Engineering controls Appropriate controls: Good general of Personal protective equipment Eye Protection: Use chemical r Hand Protection: Rubber gloves Body Protection: None required Physical and Chemical Properties Information on basic physical and chemical product State: Information on basic physical and chemical product State: Liquid Color: Dark Colors Oddor: Orange Type pH: ~8.0 Boiling Point: >212°F Freeze Point: 32°F VOC's % by wgt: <5	Engineering controls: Good general ventilation should be sufficient to controls: Appropriate controls: Good general ventilation should be sufficient to control versional protection: Eye Protection: Use chemical resistant goggles or safety glasses with thand Protection: Respiratory Protection: None required, but chemical resistant apron is suggles or safety glasses with thand Protection: Physical and Chemical Properties Information on basic physical and chemical properties Product State: Liquid Auto Ingniting: Color: Oarage Type Vapor Density; Odor: Orange Type Vapor Pressure; pH: -8.0 Evaporation Rate; Boiling Point: >212*F Viscosity; Freeze Point: 32*F Decomposition Temp; VOC's % by wgt: <5	Engineering controls Appropriate controls: General protective equipment Eye Protection: Use chemical resistant goggles or safety glasses with side shields. Hand Protection: None required, but chemical resistant apron is suggested to protect clothing. Respiratory Protection: None required, but chemical resistant apron is suggested to protect clothing. Respiratory Protection: None required. Physical and Chemical Properties Information on basic physical and chemical properties Product State: Liquid Auto Ingniting: Product is not selfigniting Color: Dark Colors Yapor Pensaure: Not Determined Odir: Orange Type Yapor Pensaure: Not Determined Odir: Orange Type Yapor Pensaure: Not Determined VOC: 32*F Output Not Determined VOC: 35*bu wat: <5			

Ecological Information

12.1-12.6

12

No ecological information is available nor has been performed on these sections.

General Notes:

Do not allow large quantities of undiluted product enter the ground, waterways or waste water canals. High levels of surfactants are harmful to aquatic life.

Safety Data Sheet (SDS)

Prepared to GHS-USA Requirements

TRIPLE FOAM POLISH

Page: 4 / 4

 13
 Disposal Considerations

 13.1
 Waste treatment methods

 Product:
 Follow local regulations for proper disposal and reporting of spills.

 Contaminated packaging:
 If empty contamined containers are recycled or disposed of, the receiver must be informed about possible hazards. Original labels must not be removed, lids closed and provide person collecting the container(s) with an SDS.

14 Transport Information

Not dangerous according to transport regulations

14.1	UN number:	none
14.2	UN proper shipping name:	Non Regulated Cleaning Compound
14.3	Transport hazard class(es):	none
14.4	Packing group:	none
14.5	Environmental hazards:	none
14.6	Special precautions for user:	none

Regulatory Information

Proposition 65 (Chemicals known to cause cancer) None

Section 313 (specific toxic chemical listings)

2-butoxyethanol

Section 355 (extremely hazardous substances) None

TSCA (Toxic Substances Control Act)

All ingredients are listed, registered or exempted.

16 Other Information

15

DISCLAIMER:

Information presented herein has been compiled from sources considered to be accurate and reliable, but is not guaranteed to be so. Since conditions of use are beyond our control we make warrantees, expressed or implied. If anything is added to this product the information presented here may be altered and could make this SDS invalid. This SDS shall not establish a legally valid contractual relationship.

LEGEND:

ACGIH: American Conference of Governmental Industrial Hygienists / CAS: Chemical Abstracts Services

CHEMTREC:Chemical Transportation Emergency Center / DOT:Department of Transportation

EHS: Extremely Hazardous Substances / EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System / IARC:International Agency for Research on Cancer

LEL/UEL:Lower and Upper Explosive Limit / mg/m3:Milligrams per cubic meter / LD50:Lethal Dose 50%

NIOSH:National Institute of Occupational Health & Safety / NFPA:National Fire Protection Association

NTP:National Toxicology Program / OSHA:Occupational Safety & Health Administration

PEL:Permissable Exposure Limit / PPE:Personal Protective Equipment /

SARA:Super fund Amendments and Reauthorization Act / SDS:Safety Data Sheet / TLV:Threshold Limit Value

TWA:Time Weighted Average / TSCA:US Toxic Substrance Control Act